

UV-C Sterilon Max Air Disinfection Unit

Characteristics:

Flow luminaires emitting ultraviolet (UV-C) light are one of the most effective devices capable of removing viruses, bacteria, mold from the surface or destroying the DNA or RNA of any exposed microorganisms. **One-pass dose from 90 J / m² to 100 J / m². Same parameters for 800, 1200, and 1500.**

- Air-flow disinfection function
- Type of light: UV-C ultraviolet
- Steel body, powder-coated in white-graphite or black
- Light source lifespan: 9000 h
- Possibility to reset the operating time counter
- The luminaire is equipped with a LED operating time counter used for indicating the consumption of UV-C fluorescent lamps
- Very quiet operation

Technical Features:

- Air-flow disinfection function
- Light source lifespan: 9000 h
- UV-C Wavelength: 253.7 nm
- Supply voltage: 220-240V
- Class of protection against electric shock: I
- Ingress protection class: IP20
- Power cord: 4m
- The luminaire is equipped with a LED operating time counter used for indicating the consumption of UV-C fluorescent lamps
- Very quiet operation

Application:

Luminaires are recommended for use in large service-providing facilities (hair and beauty salons), health care facilities, hotels, restaurants, public administration, educational and care facilities.

* Parameters may vary (+/- 5%)




CE Certified

This product has been independently tested and certified by Polish Institute of Hygiene. (PZH)

Contact :